

PROGRAMUL MAKITA PROFESIONAL

CIOCANE ROTOPERCUTOARE

Model	Cod	Putere W	E = electronic		Ø max. de gaurire beton/mm	Tip prindere	Greutate kg
			P = percutie D = daltuire	C = carota			
HR2010	SE	600	E+P		20	SDS Plus	3,1
HR2230	SE	710	E+P		22	SDS Plus	2,4
HR2460	SE	780	E+P		24	SDS Plus	2,5
HR2470	SE	780	E+P+D		24	SDS Plus	2,6
HR2432	SE	780	E+P+D		24	SDS Plus - Sistem de aspiratie	3,0
HR2470T	SE	780	E+P+D		24	SDS Plus interschimbabil	2,8
HR2810	SE	800	E+P+D		28, C 80	SDS Plus	3,2
HR3000C	SE	850	E+P+D		30	SDS Plus	4,6
HR3210C	SE	850	E+P+D		32, C 90	SDS Plus	4,9
HR4011C	SE	1100	E+P+D		40, C 105	SDS - Max	6,3
HR4511C	SE	1350	E+P+D		45, C 125	SDS - Max	8,4
HR4500C	SE	1300	E+P+D		45, C 125	SDS - Max	7,8
HR5211C	SE	1500	E+P+D		52, C 160	SDS - Max	11,6



CIOCANE DEMOLATOARE

Model	COD	Putere W	Electronic	Tip prindere	Greutate kg
HM0860C	SE	1100	Constant	SDS - Max	4,9
HM1202C	SE	1450	Constant	SDS - Max	9,3
HM1304B	SE	1500		1 1/8" (28 mm)	16,0
HM1400	SE	1240		Makita 29 mm	17,0
HM1810	SE	1900		1 1/8" (28 mm)	30,0



MASINI DE GAURIT UNGHILARE

Model	COD	Putere	Mandrina	Ø max. de gaurire otel / lemn		Viteze 1 - /2-	Greutate
		W		mm	mm	Electronic	
DA3000R	SE	380	10	10/15		1	1,6
DA3011F	SE	450	10	10/15		1	1,6


MASINI DE GAURIT CU PERCUTIE

Model	COD	Putere W	Mandrina mm	Ø max. de gaurire beton/otel / lemn		Viteze 1 - /2- Electronic	Greutate kg
				Viteza 1	Viteza 2		
HP1620	SE	650	13	16/13/30		1	1,7
HP1621K	SE	650	**13	16/13/30		1	1,7
HP2050	SE	720	13	20/13/40	13/8/25	2	2,3
HP2051	SE	720	**13	20/13/40	13/8/25	2	2,3
HP2071	SE	1010	**13	20/16/40	13/8/25	2	2,4


MASINI DE GAURIT

Model	COD	Putere W	Mandrina mm	Ø max. de gaurire otel / lemn		Viteze 1 - /2- Electronic	Greutate kg
				mm	mm		
DP4700	SE	510	**13	13/36		1	2,0
DP4003	SE	750	**13	13/38		1	2,1
6305	SE	850	13	13/30			2,6
6408	SE	530	**10	10/25		1	1,4
6413	SE	450	**10	10/25		1	1,2
6501	SE	230	6,5	6,5/9		1	0,9
6013BR	SE	620	13	13/36	amestecator	1	2,8
DBM080	SE	1300	nu are	132	carota	1	3,4


MASINI DE INSURUBAT ELECTRONICE

Model	COD	Putere W	Reversibil D/S	Turatie rot/min	Diametrul suruburilor	Greutate kg
6822	SE	570	D/S	0÷4.000	pana la 6 mm	1,3
6824	SE	570	D/S	0÷4.500	pana la 6 mm	1,4
6827	SE	570	D/S	0÷2.500	pana la 6 mm	1,8
6842	SE	470	D/S	0÷4.700	pana la 4 mm	2,0


MASINI DE INSURUBAT CU IMPACT

Model	COD	Putere W	Tip de prindere	Turatie rot/min	Momentul maxim	Greutate kg
					Nm	
6905H	SE	470	1/2"	2200	300	2,3
6951	SE	300	1/4" hex.	0-2200	100	1,3
6906	SE	620	3/4"	1700	600	5,0
TW1000	SE	1200	1"	1400	1,000	8,4
TW0350	SE	400	1/2"	2000	350	2,9



MASINA DE AMESTECAT

Model	COD	Putere W	Tip de prindere	Turatie rot/min	Electronic	Greutate kg
UT120	SE	1150	M14	250 + 580	I	4,3
UT2204	SE	850	M14	550		3,7



MASINI DE TAIAT TABLA

Model	COD	Putere W	Curse min-1	Otel aliat mm	Otel mm	Greutate kg
JN1601	SE	550	2200	1,2	1,6	1,6
JN3200	SE	660	1300	2,5	3,2	3,5
JS1600	SE	300	4000	1,2	1,6	1,7
JS1660	SE	260	4500	1,2	1,6	1,4
JS3200	SE	660	1600	2,5	3,2	3,5



FIERASTRAIE CU BANDA

Model	COD	Putere W	Dimensiunea benzii mm	Viteza benzii m/s	Greutate kg
2107FK	SE	710	1140x13x0,5	1,0 - 1,7	5,7



POLIZOARE UNGHIULARE MICI

Model	COD	Putere	Diam. discului	Turatie	Electronic	Greutate
		W	mm	rot/min		kg
9557HN	SE	840	115	11000		1,6
9558HN	SE	840	125	11000		1,6
9565H	SE	1100	125	11000		1,8
9565CV	SE	1400	125	2800 + 11000	I	1,8
GA5021	SE	1050	125	11000		2,2
GA6021	SE	1050	150	10000		2,2
GA5030	SE	720	125	11000		



POLIZOARE UNGHIULARE

Model	Cod	Putere	Diam. discului	Turatie	Limitarea curentului de pornire	Greutate
		W	mm	rot/min		kg
GA9030SF01	SE	2400	230	6600	I	5,1
GA9040SF01	SE	2600	230	6600	I	5,5
GA7020F	SE	2200	180	8500		4,7
GA7020SF	SE	2200	180	8500	I	4,7
GA9020	SE	2200	230	6600		4,7
GA9020F	SE	2200	230	6600		4,7
GA9020SF	SE	2200	230	6600	I	4,7



MASINI DE TAIAT CU DISC DIAMANTAT

Model	COD	Putere	Diam. discului	Turatie	Include scula diamantata	Greutate
		W	mm	rot/min		kg
4101RH	SE	860	110	12000	I	3,0
4105KB	SE	800	125	7500	I	3,2
SG150	SE	1800	150	7800		5,6
4112HS	SE	2400	305	5000		10,3



RINDELE ELECTRICE

Model	COD	Putere	Latime de lucru	Adancimea spanului	Greutate
		W	mm	mm	
1902	SE	550	82	0-1	2,5
KP0810	SE	850	82	0-4	3,2
1911B	SE	900	110	0-2	4,2
1806B	SE	1200	170	0-2	8,8
KP312S	SE	2200	312	0-3,5	19
2012NB	SE stationara	1650	304	0-3	27



FIERASTRAIE CIRCULARE MANUALE

Model	COD	Putere	Turatie	Adancime de taiere la 90°	Adancime de taiere la 45°	Greutate
		W	rot/min	mm	mm	
5604R	SE	950	5000	54	35	3,6
5705R	SE	1400	4800	66	46	5,2
5017RKB	SE	1400	4800	66	46	5,2
5903R	SE	2000	4500	85	64	7,6
5103R	SE	2100	3800	100	77	9,4
SP6000	SE	1300	2000 5200	56	40	4,1



FIERASTRAIE DE MASA PT. TAIERI INCLINATE

Model	COD	Putere	Turatie	Adancime de taiere la 90°	Adancime de taiere 45°	Greutate
		W	rot/min	mm	mm	
LS1013	SE	1430	3700	91x310	91x220	21
LS1040	SE	1650	4600	93x95	93x67	11
LH1040	SE	1650	4800	69x130	69x85	14
LS1440	SE	1380	3200	122x152	115x122	34
2704	SE	1650	4800	max. 93	max. 64	33
LF1000	SE	1650	2700	68x155	50x150	32



MASINI DE DEBITAT METALE

Model	COD	Putere	Turatie	Diametrul discului	Alezaj disc	Greutate
		W	rot/min	mm	mm	
2414NB	SE	2000	3800	355	25.4	16,2
LC1230	SE	1750	1300	305	25.4	19
4131	SE portabil	1100	3500	185	30	4,7



FIERASTRAIE ALTERNATIVE ELECTRONICE

Model	COD	Putere	Lungimea cursei	Pendulare	Electronic	Greutate
		W	mm			
JR3060T	SE	1250	32	4 trepte	I	4,2



FIERASTRAIE PENTRU DECUPAT

Model	COD	Putere	Capacitate de taiere lemn	Capacitate de taiere metal	Pendulare	Greutate
		W	mm	mm		kg
4327	SE	450	65	6		1,9
4329	SE	450	65	6	I	1,9
4350CT	SE	720	135	10	I	2,4
4351CT	SE	720	135	10	I	2,4



MASINI DE FREZAT VERTICALE SI UNIMANUALE

Model	COD	Putere	Diametrul bucei de prindere	Turatie	Electronic	Greutate
		W	mm	rot/min		kg
3612	SE	1650	12	22000		5,8
3612C	SE	1850	12	9000-23000	I	6,0
3620	SE	860	8	24000		2,4
3706	SE	550	3,18 / 6,35	32000		1,1
3708	SE	440	6	35000		1,3
RP0910	SE	900	8	27000		3,3



MASINA DE FREZAT NUTURI

Model	COD	Putere	Adancime nuturi	Turatie	Greutate
		W		rot/min	
3901	SE	590	0 - 10 - 20	10000	2,8



MASINI DE SLEFUIT CU BANDA

Model	COD	Putere	Viteza benzii	Dimensiune banda	Electronic	Greutate
		W	m/min	mm		kg
9032	SE	500	300 ÷ 1700	9x533	I	1,5
9910	SE	650	270	76x457		2,6
9911	SE	650	75 ÷ 270	76x457	I	2,6
9924DB	SE	850	400	76/100x610		4,8
9404	SE	1010	210 ÷ 440	100x610	I	4,7



MASINI DE SLEFUIT ALTERNATIVE SI ORBITALE

Model	COD	Putere	Dimensiunea talpii	Prindere cu arici	Electronic	Greutate
		W	mm			kg
9046	SE	600	115x229	I		3,00
BO3700	SE	180	93x185			1,4
BO4556	SE	200	112x102			1,1
BO4561	SE	160	112x100	I		0,95
BO4900V	SE	330	115x229	I	I	2,8
BO6030	SE	310	150	I		2,3
BO5030	SE	300	123	I		1,3



MASINI DE SLEFUIT CU PERIE/DISC

Model	COD	Putere	Turatie	Dimensiune de lucru Sistem de prindere	Electronic	Greutate
		W	rot/min	mm		kg
9741	SE	860	3500	100X120		4,2
9227CB	SE	1200	0÷3000	165/185 M14x2	I	3,0
PV7000C	SE	900	600÷2000	180	I	2,0



POLIZOARE DREPTE

Model	COD	Putere	Turatie	Dimensiuni de lucru	Electronic	Greutate
		W	rot/min	mm		kg
906	SE	240	25,000	Ø 6		0,9
GD0800C	SE	750	7,000 ÷ 28,000	Ø 6	I	1,6
GD0600	SE	400	25,000	Ø 6		1,6



ASPIRATOARE / EXHAUSTOARE

Model	COD	Putere	Detalii	Greutate
				kg
440	SE	1000 W	cu pornire automata	8,0
4013D	SE	12 Vcc	fara acumulator fara incarcator	0,89/ 1,6
445X	SE	1200	volum 40l	16


PISTOALE CU AER CALD

Model	COD	Putere	Temperatura	Debit de aer	Electronic	Greutate
		W	°C	l/min		kg
HG5002K	SE	1600	300 + 500	350/500		0,5
HG550VK	SE	1800	100 + 550	250/550	I	0,57
HG650CK	SE	2000	80 + 650	200 - 550	I	0,62


MASINI DE GAURIT/ INSURUBAT CU ACUMULATOR

Model	COD	Tensiune	Turatie		Moment maxim	Cutie/ acum.	Greutate
			mica	mare			
		V	rot/min		Nm	buc	kg
6019DWE	SE	7,2	0+200	0+600	12	1/2	1,1
6096DWE	SE	9,6	0+350	0+1100	12	1/2	1,3
6271DWAE	SE	12	0+350	0+1200	18	1/2	1,5
6281DWAE	SE	14,4	0+350	0+1200	20	1/2	1,6
6317DWDE	SE	12	0+400	0+1300	25	1/2	2,0
6319DWFE	SE	12	0+300	0+550 0+1600	31	1/2	2,2
6339DWFE	SE	14,4	0+300	0+600 0+1700	32	1/2	2,3
DF330DWE	SE	10,8	0+350	0+1300	14	1/2 Li-Ion	1
BDF442RFE	SE	14,4	0+400	0+1400	30	1/2 Li-Ion	1,7
BDF343SHE	SE	14,4	0+400	0+1300	20	1/2 Li-Ion	1,2


MASINI DE GAURIT SI INSURUBAT CU PERCUTIE SI ACUMULATOR

Model	COD	Tensiune	Turatie		Moment maxim	Cutie/ acum.	Greutate
			mica	mare			
		V	rot/min		Nm	buc	kg
8444DWFE	SE	percutie 18	0+300	0+600 0+1700	40	1/2	2,7
6934FDWDE	SE	impact 14,4		0+2300	140	1/2	1,7
TD020DSE	SE	percutie 7,2		2300	20	1/2 Li-Ion	0,53
TD090DWE	SE	percutie 10,8		0+2400	90	1/2 Li-Ion	0,92
BHP452RFE	SE	percutie 18		0+400 0+1500	32	1/2 Li-Ion	1,8
BHP442RFE	SE	percutie 14,4		0+400 0+1400	30	1/2 Li-Ion	1,7
BTD140RFE	SE	percutie 18		0+2300	145	1/2 Li-Ion	1,5


CIOCANE ROTOPERCUTOARE CU ACUMULATOR

Model	COD	Tensiune	Turatie	P = percutie D = daltuire	Cutie/ acum.	Greutate
HR160DWAE	SE	12	0 + 950	P+D	1/1	2,5
BHR200SJE	SE	24	0 + 1100	P+D	1/2	4,2
BHR241RFE	SE	18	0 + 1100	P+D	1/2 Li-Ion	3,2



MASINI DE GAURIT UNGHIULARE CU ACUMULATOR

Model	COD	Tensiune V	Turatie rot/min	Mandrina	Cutie	Greutate kg
DA391DW	SE	9,6	0-800	0,8 - 10 mm	I	1,4



POLIZOR CU ACUMULATOR

Model	COD	Tensiune V	Turatie rot/min	Detalii	Cutie /acum. buc	Greutate kg
9500DW	SE	7,2	5500	disc - Ø100mm	nu / 1	1,00



MASINA DE CAPSAT CU ACUMULATOR

Model	COD	Tensiune V	Detalii	Cutie /acum. buc	Greutate kg
T221DW	SE	9,6	latimea capsei-10mm capacitate magazie-100buc	nu / 1	1,7




RADIO CU ACUMULATOR

Model	COD	Tensiune V	Detalii	Acumulatori / Adaptor	Greutate fara acumulator kg
BMR100	SE	9,6 + 24	AM/FM stereo max 2X5 W la 24V	fara / Adaptor 220V	4,2



DEBITATOR

Model	COD	Brand	Putere	Capacitate	Diametrul discului/ gaurii	Greutate
			KW / CP	cm ³		mm
DPC7311	SB	MAKITA	4,2 / 5,7	73	350 / 25,4	10

**TELEMETRU CU LASER**

Model	COD	Brand	Distanța de măsurare	Greutate
			m	g
LD060P	SE	MAKITA	0.05 ÷ 60	90
LD100P	SE	MAKITA	0.05 ÷ 100	110



PROGRAMUL PADURE, PARCURI SI GRADINA

FIERASTRAIE ELECTRICE CU LANT

Model	COD	Brand	Putere	Frana automata	Lungimea lamei/ Pas/ Grosimea verigii	Greutatea
			W			
UC3030A	SE	MAKITA	2000	I	30/ 3/8/ 1,3	4,2
UC3530A	SE	MAKITA	2000	I	35/ 3/8/ 1,3	4,2
UC4030A	SE	MAKITA	2000	I	40/ 3/8/ 1,3	4,2
ES2145A	SE	DOLMAR	2000	I	45/ 3/8/ 1,3	4,3
UC3020A	SE	MAKITA	1800	I	30/3/8/1.1	3,7
UC3520A	SE	MAKITA	1800	I	35/3/8/1.1	3,7
UC4020A	SE	MAKITA	1800	I	40/3/8/1.1	3,7



MOTOFIERASTRAIE CU LANT

Model	COD	Brand	Putere	Cap. Cilindrica	Lungimea lamei/ Pas/ Grosimea verigii	Detalii	Greutatea
			KW / CP	cm³			kg
DCS4610-35	SB	MAKITA	1,7 / 2,3	45,1	35/ 3/8/ 1,3		4,75
DCS3501	SB	MAKITA	1,5/2,1	34,7	35/ 3/8/ 1,3		4,8
PS45	SB	DOLMAR	1,7 / 2,3	45,1	35/ 3/8/ 1,3		4,75
PS420C	SB	DOLMAR	2,0 / 2,8	42,4	38/ 0,325/ 1,3		4,8
PS460K	SB	DOLMAR	2,2 / 3,0	46	38/ 0,325/ 1,5	K=lant,pila rotunda, maner pila, geanta metalica transport	5,5
PS500K	SB	DOLMAR	2,4 / 3,3	50	45/ 0,325/ 1,5	K=lant,pila rotunda, maner pila, geanta metalica transport	5,5
PS4600SK	SB	DOLMAR	2,6 / 3,6	46	38/ 0,325/ 1,5	K=lant,pila rotunda, pila lata, maner pila, geanta metalica transport	5,1
PS5000DK	SB	DOLMAR	2,8 / 3,8	50	45/ 0,325/ 1,5	K=lant,pila rotunda, pila lata, maner pila, geanta metalica transport	5,1
PS6400HS	SB	DOLMAR	3,5 / 4,8	64	45/ 3/8 /1,5		6,3
PS7900HS	SB	DOLMAR	4,6 / 6,3	79	50/ 3/8 /1,5		6,3



MOTOCOASE

Model	COD	Brand	Putere	Cap. Cilindrica	Accesoriu standard	Greutatea
			KW / CP	cm³		kg
BCM2310	SB	MAKITA	0,7/1	22,6	cap cu doua fire	5,7
BCM2600	SB	MAKITA	0,8/1.0	25,6	cutit cu patru dinti	4,9
BCM3300	SB	MAKITA	0,97/1,32	32,6	cutit cu patru dinti	7,3
DBC340	SB	MAKITA	1,6/2.19	39	cutit cu patru dinti	6,7
MS400	SB	DOLMAR	1,8 / 2,47	39	cutit cu patru dinti	6,7
MS4010	SB	DOLMAR	1,8 / 2,47	39	cutit cu trei dinti	7,9
MS4510	SB	DOLMAR	2,3 / 3.15	45	cutit cu trei dinti	7,9



MOTOCOASE CU MOTOR IN 4 TIMPI

Model	COD	Brand	Putere	Cap.cilindrica	Accesoriu standard	Greutatea
			KW/CP	cm³		kg
BCX2500	SB	MAKITA	0.8 / 1.1	24,5	cutit cu patru dinti	6,5
MS352.4U	SB	DOLMAR	1.2 / 1.63	34,5	cutit cu patru dinti	7,8



TRIMMERE ELECTRICE

Model	COD	Brand	Putere	Accesorii standard	Regimul de utilizare	Greutatea
			W			kg
UM3830	SE	MAKITA	700	cap cu 2 fire tap&go	hobby	4,6
UM4030	SE	MAKITA	1000	cap cu 2 fire tap&go	hobby	4,6
ET70C	SE	DOLMAR	700	cap cu 2 fire tap&go	hobby	4,6



MASINI ELECTRICE PENTRU TUNS GARD VIU

Model	COD	Brand	Putere	Lungimea lamei	Regimul de utilizare	Greutatea
			W			cm
UH4860	SE	MAKITA	400	48	hobby	2,9
HT5500	SE	DOLMAR	600	55	profesional	4,0



MASINI CU BENZINA PENTRU TUNS GARDUL VIU

Model	COD	Brand	Putere	Lungimea lamei	Regimul de utilizare	Greutatea
			kW / CP			kg
HT2960	SB	DOLMAR	0,85 / 1,2	60	profesional	5,8



MASINI ELECTRICE DE TUNS GAZON

Model	COD	Brand	Putere	Latime de taiere	Trepce reglaj inaltime de taiere/ dispozitiv	Rezervor pt. iarba
			W			
ELM3300	SE	MAKITA	1000	33	3 / la fiecare roata	I
ELM3700	SE	MAKITA	1300	37	3 / la fiecare roata	I
ELM4100	SE	MAKITA	1600	41	5 / la fiecare roata	I
ELM4601	SE	MAKITA	1800	46	5 / ax central	I



MASINI CU MOTOR PE BENZINA BRIGGS&STRATTON DE TUNS GAZON

Model	COD	Brand	Putere	Suprafata de gazon	Latime de taiere	Trepce reglaj inaltime de taiere	Rezervor pt. iarba
			W				
PLM4101	SB	MAKITA		1000	43	5 (30÷75mm)	l
PLM4601	SB	MAKITA		1200	48	5 (30÷75mm)	l
PLM5101	SB	MAKITA		2200	51	5 (30÷75mm)	l


SUFLANTA CU MOTOR IN 4 TIMPI

Model	COD	Brand	Putere	Cap.cilindrica	Volumul de aer	Greutatea
			KW / CP	cm ³	m ³ /min.	kg
BHX2500	SB	MAKITA	0,81 / 1,1	24,5	10,1	4,4


MASINI DE SPALAT CU PRESIUNE

Model	COD	Brand	Putere	Presiune maxima	Debit	Greutatea
			W			
HW101	SE	MAKITA	1300	100	360	7,3
HW110	SE	MAKITA	1600	110	370	12,0
HW130	SE	MAKITA	2100	140	480	16
HW131	SE	MAKITA	2300	130	500	33,8


DESPICATOR BUSTENI

Model	COD	Brand	Putere	Tensiune alimentare	Putere de despicare	Greutatea
			KW	V	tona	kg
LS6002	SE	DOLMAR	2,2	230	10	127


MOTOPOMPA

Model	COD	Brand	Capacitate	Debit maxim	Inaltimea de refulare maxima	Greutatea
			cm ³	l/min		kg
EPH1000X	SB	MAKITA	33.5	130	45 m	7,5



PULVERIZATOR

Model	COD	Brand	Capacitate cm ³	Presiune maxima Mpa	Volum rezervor lichid l	Greutatea kg
EVH2000	SB	MAKITA	24,5	2,5	20	9,1



PROGRAMUL SEMIPROFESIONAL

MASINI DE GAURIT CU PERCUTIE

Model	COD	Brand	Putere	Mandrina	Ø max. de gaurire beton/otel/lemn	Turatie	Greutate
			W	mm	mm	rpm	kg
MT811	SE	MAKTEC	430	13	13 / 13 / 18	0-2800	1,6



MASINI DE GAURIT

Model	COD	Brand	Putere	Mandrina	Ø max. de gaurire lemn	otel /	Turatie	Greutate
			W	mm	mm		rpm	kg
MT601	SE	MAKTEC	350	10	10 / 25		0-2500	1,4



POLIZOARE UNGHIULARE MICI

Model	COD	Brand	Putere	Diam. discului	Turatie	Electronic	Greutate
			W	mm	rot/min		kg
MT952	SE	MAKTEC	570	115	10000		1,5
MT953	SE	MAKTEC	570	125	10000		1,5



MASINI DE DEBITAT METALE

Model	COD	Brand	Putere	Turatie	Diametrul discului	Alezaj disc	Greutate
			W	rot/min	mm	mm	kg
MT240	SE	MAKTEC	2000	3800	355		18,4



MASINI DE GAURIT SI INSURUBAT CU ACUMULATOR

Model	COD	Brand	Tensiune	Turatie mica mare	Ø max. de gaurire lemn	otel /	Moment maxim	Greutate
			V	rot/min	mm		Nm	kg
MT063SK2	SE	MAKTEC	12	0÷350 0÷1000	10 / 15		21	1,4
MT064SK2	SE	MAKTEC	14,4	0÷400 0÷1300	10 / 25		25	2,0
MT065SK2	SE	MAKTEC	18	0÷400 0÷1300	10 / 28		30	2,2

